



Integrated Hybrid Solar Inverter Lithium Battery 3kw 5kw 100ah 200ah 24V 48V

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: XWELL
- Certification: UN38.3, MSDS, UL, CB, BIS, PSE, GB4943.1 safety standard, CE, FCC, ROHS, battery UN38.3, MSDS, UL, CB, BIS, PSE
- Model Number: XW-3200W
- Minimum Order Quantity: 1 pcs
- Packaging Details: Carton
- Delivery Time: 7-10 working days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 pcs per month



Product Specification

- Battery Voltage: 48V - 51.2 V
- Pck Capacity: 100Ah - 200Ah
- Pack Energy: 5.0Kwh - 10.0kwh
- Cell Model: LiFePO4 Cell
- Life Time: 6000 Cycles
- Max Charge Current: 50A
- Max Discharge Current: 100A
- Inverter Rated Power: 3.2kw
- Peak Power: 5kw
- Output Wave Form: Pure Sine Wave
- Highlight: solar inverter lithium battery 3kw,
solar inverter lithium battery 5kw,
solar inverter lithium battery 200ah

for more products please visit us on esslithiumbattery.com

Product Description

Integrated Hybrid Solar Inverter All In 1 Energy Storage System 3kw 5kw 100ah 200ah 24V 48V LiFePO4 Lithium Battery

All In One Energy Storage System Description


Energy Storage System combined Power Inverter and Lithium Iron Phosphate Batteries together Module design for battery, each battery module is 10KWH, max 4 modules parallel are available Max 5KW Pure Sine Wave Output from DC to AC Inverter

Inbuilt 100Amp Solar Mppt Controller, max 500V PV Input Voltage Multi Input ways from Grid, PV Power and Battery Power Free PC Software for management, and wifi function is optional Digital LCD Screen to show the system working status Smart and safe design for home and office with CE Certificate.

All in One Energy Storage System Specification

Battery Parameters		
Model	51.2V100Ah	51.2V200Ah
Nominal voltage	51.2V	
Nominal capacity (kwh)	5KWh	10KWh
Cell type	LiFePO4	
Cycle life	>6000 Cycles(80%DOD)	
Charge temperature range	0~65°C	
Discharge temperature range	-20~65°C	
Maximum continuous charge current	50A	
Maximum continuous discharge current	100A	
Color	Black /White	
Dimension (mm)	710x300x600	710x300x800
Weight	81Kg	110Kg
Installation method	Floor type with wheels	
Inverter Parameters		
Rated power	3.2KW	
Peak power	5KW	
Output wave form	Pure sine wave	
Input/Output AC voltage	AC 110V/220V	
Input/Output AC voltage frequency	50Hz/60Hz	

All in One Energy Storage System Connection Diagram



Our service

1. OEM&ODM Service
2. Custom print logo
3. Free battery solution
4. Free Shipping cost to China address
5. Support sample order for test

Company Information

Xwell is a leading lithium battery manufacturer in China, which is committed to provide customers with safe and durable battery products for EV power battery, portable energy storage, household energy storage, micro power grid, telecom station power supply, UPS, solar street lights, harvesters, AGV, forklift, electric tricycles, electric wheelchairs, etc. Elite professional experienced technicians and advanced equipments provide customers with high-quality batteries and professional customized battery solutions. Elite has passed ISO 9001 ISO 14001 certification, Elite products have been certified with CE, UN38.3, MSDS, etc.



XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.

+86 18620492985

sales@esslithiumbattery.com

esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China